# Fisheries *Refugia*: A Regional Initiative to Improve the Integration of Fisheries and Habitat Management

Somboon Siriraksophon Policy and Program Coordinator Southeast Asian Fisheries Development Center, Bangkok, Thailand email: somboon@seafdec.org

# Abstract

Fisheries of Southeast Asia are characterized by high levels of small-scale fishing. Increasing fishing pressure coupled with continued decline in the expanse and quality of coastal habitats critical to the life-cycles of most species, has raised serious concerns regarding the long-term sustainability of the region's fisheries. The process of establishing Fisheries *Refugia* and the outcomes of a regional initiative under the UNEP/GEF South China Sea Project (2002-09) to improve the integration of fisheries and habitat management are discussed briefly in this paper. The Fisheries *Refugia* concept as a fisheries management tool has been introduced in the Southeast Asian region with the objective of enhancing fisheries resources through the integration of fisheries and habitat management. The concept is defined as "spatially and geographically defined, marine or coastal areas in which specific management measures are applied to sustain important species [fisheries resources] during critical stages of their life cycle." To support the Fisheries *Refugia* approach, the ASEAN-SEAFDEC ministries responsible for fisheries in Southeast Asia in 2006. In addition, the ASEAN-SEAFDEC Resolution and Plan of Action on Sustainable Fisheries for Food Security toward 2020 adopted in 2011 also supported the establishment of Fisheries *Refugia* for enhancing the fishery resources of the Southeast Asian region.

# Introduction

The South China Sea, including the Gulf of Thailand, is a global center of shallow water marine biological diversity that supports significant fisheries that are important to the food security and export income of Southeast Asian countries. These fisheries are characterized by high levels of fishing effort from the small-scale sector. Accordingly, all inshore waters of the South China Sea basin are subject to intense fishing pressure. Growing global demand for fisheries products coupled with strong coastal community dependence on fisheries, is driving continued increases in fishing capacity and effort (UNEP, 2007a).

An obvious impediment to the reduction of inshore fishing effort is that small-scale operators are often entirely dependent on fish for income, food and well-being (Paterson et al., 2006). The most important fish species are considered fully fished or overexploited. As a result of 'fishing down marine food webs' (Christensen, 1998), small pelagic species now dominate landings as most demersal fisheries are overfished (Lundgren et al., 2006). Consequently, the investment of time and household expenditures on fuel for fishing has increased in coastal communities that attempt to secure adequate dietary nutrition and income from fishing (UNEP, 2007a). This situation of high small-scale fishing pressure and declining fisheries resources has contributed to the adoption of unsustainable fishing methods to maintain catch and increase incomes in the shortterm. These include the use of destructive fishing gear and practices, such as the operation of demersal trawls and push nets in seagrass areas, and the use of explosives and release of fish poisons in coral reef areas. Small-scale inshore fishing pressure has therefore been identified as a significant cause of the degradation and loss of coastal habitats in the South China Sea (UNEP, 2008a).

Although action aimed at reducing the rate of loss of coastal habitats has been implemented by countries bordering the South China Sea, the decadal rate of loss of such habitats remains high (UNEP, 2008a), *e.g.*, seagrass beds (30%), mangroves (16%), and coral reefs (16%). This continued decline in the total area of habitats critical to the life cycles of most aquatic species, combined with the high levels of coastal community dependence on fish, has raised serious concerns for the long-term sustainability of small-scale fisheries in the region.

With fish production being intrinsically linked to the quality and area of habitats and the heightened dependence of coastal communities on fish, a need exists to improve the integration of fish habitat considerations and fisheries management in the region. The dilemma for the fisheries and environment sectors is that conservation of habitat does not necessarily result in increased fish stocks while lowering fishing effort does not necessarily result in the improvement of habitat. Therefore, given the complexity of the key threats to fish stocks, fish habitats and associated biodiversity in Southeast Asia, it is imperative that mechanisms for effective cross-sectoral consultation and coordination be established, particularly in terms of the identification and designation of priority 'places' (Pauly, 1997) for management.

The fisheries *refugia* concept, defined as "spatially and geographically defined, marine or coastal areas in which specific management measures are applied to sustain important species [fisheries resources] during critical stages of their life cycle for their sustainable use" (UNEP, 2005), was developed as a novel approach to the identification and designation of priority areas in which to integrate fisheries and habitat management in the context of high and increasing levels of small-scale fishing pressure in the South China Sea.

This paper reviews the barriers to effective integration of the work of fisheries and environment departments and ministries in the context of high and increasing levels of smallscale fishing pressure in the South China Sea and Gulf of Thailand. The effectiveness of the fisheries refugia concept in harnessing stakeholder support for the use of area-based to strengthen the integrated planning management of critical fishery and habitat linkages is highlighted. Country experience in applying the *refugia* approach via an initiative to establish a regional system of fisheries *refugia* is presented in terms of improved communication between the fisheries and environment sectors and enhancing community acceptance of areabased management tools.

The question arises as to how the concept of fisheries *refugia* differs from other forms of areabased management used in fisheries. Marine reserves, for example, have been called many things, including 'no-take zones', 'fishery reserves', 'fully protected marine reserves', 'highly protected marine reserves' and, recently,

'fish stock recovery areas' (Roberts and Hawkins, 2012). Regardless of the name applied, the underlying principles are the same, *i.e.* restriction or banning of fishing activity in fishing grounds. In contrast, the fisheries *refugia* concept focuses on the nature of the particular habitat and its critical significance to the life-history of the fished species. Management of *refugia* therefore focuses on the habitat rather than simply restricting access, either temporally or spatially, to fishing grounds.

This paper also presents the outcomes of a regional initiative to improve the integration of fisheries and habitat management from the project on "Reversing Environmental Degradation Trends in the South China Sea and Gulf of Thailand" (referred to hereafter as the UNEP/GEF South China Sea Project) was funded by the Global Environment Facility (GEF) and implemented by the United Nations Environment Programme (UNEP) in partnership with seven riparian states bordering the South China Sea, namely: Cambodia, China, Indonesia, Malaysia, Philippines, Thailand, and Viet Nam). Although planning commenced in 1996, the project became fully operational in February 2002 and was formally closed at the end of January 2009. The results have been recently published as part of a Special Issue of the journal 'Ocean and Coastal Management' on the UNEP/GEF South China Sea Project (Paterson et al., 2012).

The complexity of the key threats to fish stocks and their habitats in the South China Sea necessitate adequate cross-sectoral consultation between fisheries and environment departments, particularly in relation to the identification and designation of priority places for the integration of fisheries and habitat management. The dilemma for the fisheries and environment sectors is that conservation of habitat does not necessarily result in increased fish stocks while lowering fishing effort does not necessarily result in the improvement of habitats.

# Approach: Development of the fisheries *refugia* concept

# Fisheries component of the UNEP/GEF South China Sea Project

As mentioned earlier, the fisheries component (<u>Note</u>: China did not participate in this project component) of the UNEP/GEF SCS Project on "Over-exploitation of Fisheries in the Gulf of Thailand" focused on the links between fish stocks and coastal habitats, and was designed to secure an agreement on the establishment of a regional system of fisheries *refugia* to maintain important transboundary fish stocks.

This was aimed at achieving one of the overall objectives of the Project, specifically on "Improved integration of fisheries and biodiversity management in the Gulf of Thailand". This component was nested with other project components focusing on habitat degradation and loss, land-based pollution, and regional coordination within the broader management framework of the project (Pernetta and Jiang). National activities of the fisheries component were executed by departments or research institutes of the government ministries responsible for fisheries in Cambodia, Indonesia, Malaysia, Philippines, Thailand and Viet Nam. The government-nominated focal points for fisheries from these countries led the execution of regional activities through the Regional Working Group on Fisheries (RWG-F). Ten formal meetings of the RWG-F were convened between 2002 and 2008. The work of this group benefitted from the participation of five (5) regional experts on fisheries, and senior advisors and technical staff of the Southeast Asian Fisheries Development Center (SEAFDEC), Food and Agriculture Organization of the United Nations (FAO), WorldFish Centre, and the International Union for the Conservation of Nature (IUCN).

The direct linkages and feedback loops that were established between and among these fisheries experts and habitat specialists, pollution scientists, lawyers, and economists involved in

### Barriers to effective integration of fisheries and habitat management

In developing the framework for a regional system of fisheries *refugia*, specific regional, national and local actions were planned from the perspective of overcoming barriers to the integration of fisheries and habitat management. The RWG-F identified the key barriers that included:

• Limited practical experience in integrating fisheries and environmental considerations

The need to integrate fisheries and habitat management has received high-level international recognition, particularly within the framework of the approved Reykjavik Declaration on Responsible Fisheries in the Marine Ecosystem (FAO, 2002). The Reykjavik Declaration states that in an effort to reinforce responsible and sustainable fisheries in the marine ecosystems, States "will individually and collectively work on incorporating ecosystem considerations into that management to that aim". Even though FAO released the Technical Guidelines for Responsible Fisheries dealing specifically with the ecosystem approach to fisheries (EAF) as part of the FAO Code of Conduct for Responsible Fisheries (CCRF) in 2003 (FAO, 2003). In a note regarding the preparation of the document, FAO highlights that "at the time of writing (the guidelines), there was little practical experience in implementing EAF anywhere in the world".

the broader UNEP/GEF South China Sea Project, became the first for a marine fisheries working group in Southeast Asia. Collaboration between the RWG-F and SEAFDEC was established to ensure that fisheries component activities complement rather than duplicate, the work being undertaken as part of larger SEAFDEC and FAO fisheries projects and programs.

During its preliminary planning stages, the RWG-F realized that initiatives to integrate fisheries and habitat management in Southeast Asia would be constrained by several factors, which could include: limited experience in national fisheries and environment departments and ministries with respect to the implementation of integrated fisheries and habitat management approaches; limited information regarding fish life-cycles and critical habitat linkages and the role that coastal habitats play in sustaining fisheries; and low level of community acceptance of 'protected' area approaches to marine management in Southeast Asia.

Similarly, the ASEAN-SEAFDEC Regional Guidelines on Responsible Fisheries in Southeast Asia provide guidance with regard to minimizing the negative impacts of fishing on the environment and critical fisheries habitats (SEAFDEC. 2006). In this connection, the RWG-F also identified, in the early stages of its work, that a central problem faced by fisheries ministries and departments in building environmental considerations into fisheries management is a lack of examples relevant to the region on how to implement such policies at the local level (UNEP, 2006a).

• Limited knowledge of fish life-cycle and critical habitat linkages

Regarding the lack of knowledge concerning fish life-cycles and critical habitat linkages in the South China Sea basin, the RWG-F noted that, while the life-cycles of most fished species in the region were thought to follow the generalized three-phase ontogeny of marine fishes (i.e. (1) pelagic larvae and presettlement juveniles, (2) dispersal to shallow inshore habitats, and (3) migration to deeper offshore habitats and spawning grounds), very little information existed at the regional level regarding specific habitats and locations used by most fish species during critical phases of their life-cycles (UNEP, 2005; 2006a). Spawning sites and the influence of ocean processes on transport of fish larvae are also poorly known (UNEP, 2006b).

This situation resulted from the past fisheries research programs that focused on determining sustainable yields of fish stocks with little emphasis placed on fish life-cycle research. The fact that most fish life-cycle and habitat data and information in the region are qualitative in nature, provides general information regarding the presence or absence of fish and the life-cycle phase of fish species observed in a given habitat area. While this work is useful in developing an inventory of habitats and locations utilized by fished species at different phases of their life-cycle, the RWG-F therefore identified the need for regional level research on the role of specific habitat areas in terms of fisheries production and sustaining fish stocks under scenarios of increased fishing effort (UNEP, 2006b).

• Low level community acceptance of 'protected' area-based approaches

During the meetings of the RWG-F, it was noted that Marine Protected Areas (MPAs) were increasingly being promoted or conceived, as essential fisheries management instruments (Roberts and Polunin, 1993). Gell and Roberts (2003) concluded that "nature conservation in the oceans cannot be achieved without marine reserves neither can the world's fisheries be made sustainable". FAO had initiated an evaluation of the effectiveness of Marine Protected Areas as management and conservation tools for fisheries, and it was agreed that, while fisheries ministries and departments in the region would need to

# Approach of the Regional Working Group on Fisheries

A review of fisheries and habitat management initiatives in the Southeast Asian region revealed that no initiative with a direct focus on improving the integration of fisheries and habitat management in the South China Sea either existed or had previously been implemented. It was agreed that, given the important role of fisheries habitats in sustaining fish stocks and production, the trends in the degradation and loss of these habitats, and the intense small-scale fishing pressure in inshore areas, a regional system of fisheries management areas (fisheries refugia) would be established in the South China Sea and Gulf of Thailand. This system would focus on the improved management of the critical links between fish stocks and their habitats toward the longer-term goal of building resilience of Southeast Asian fisheries to the effects of high and increasing levels of small-scale fishing pressure (UNEP, 2006a).

improve their working relationships with organisations promoting MPAs, the key barrier would be in achieving acceptance among communities at the local level of the value of MPAs. The consensus view within the working group was that MPAs in Southeast Asia were widely understood by fisheries stakeholders to be the areas that were closed to fishing.

The initial global promotion of the MPA concept clearly distinguished between the establishment of MPAs for the protection of biodiversity fisheries, and respectively (Hilborn et al., 2004). The distinction between these two purposes has recently been blurred by MPA advocates who have presented general MPA benefits not only in terms of biodiversity protection but also in terms of enhanced fisheries yields. The RWG-F noted with concern that most MPAs in Southeast Asia had been established under a broad banner of 'improving the state of fisheries', whereas the criteria for the selection of MPA sites had typically been related to achieving the objectives for biodiversity conservation or political gain rather than for fisheries management (UNEP, 2006a). This was further complicated when an objective review of the various MPA definitions suggested that the entire Exclusive Economic Zones (EEZs) of Southeast Asian countries are technically, MPAs because fishing in these EEZs is restricted through long-standing fisheries management measures.

The Regional Working Group on Fisheries (RWG-F) for the UNEP/GEF South China Sea Project agreed that any approach aimed at fostering integrated management should:

- Build the capacity of fisheries and environment departments and ministries to engage in meaningful dialogue regarding how broader multiple use planning can best contribute to improving the state of fisheries habitat management in areas of the South China Sea and the Gulf of Thailand;
- Improve understanding among stakeholders, including fisherfolk, scientists, policy makers and fisheries managers, of habitat and fishery linkages as a basis for integrated fisheries and habitat management; and
- Enhance and sustain the participation of local fishing communities and the private sector in management interventions for improved fisheries habitat management and biodiversity conservation through a focus on sustainable use rather than the prohibition of fishing.

The RWG-F also recommended that initiatives should address the barriers to integration by drawing on fisheries management concepts that are easily understood by fishing communities and emphasis sustainable use rather than simply the prohibition of fishing.

#### **Supporting Evidence**

In developing the framework for a regional system of fisheries refugia in the South China Sea, the RWG-F recognized the need for two separate but related sets of goals and objectives (Table 1). The first is related to the resource itself and the second to the institutional framework under which management is brought about. The RWG-F developed and agreed on the listings of pelagic and demersal fish species, cephalopods, and crustaceans of transboundary significance during its second meeting in October 2002. In considering the species of transboundary significance for which the development of a regional system of fisheries refugia should focus, the RWG-F revised the lists during its ninth meeting convened on Phu Ouoc Island, Viet Nam

The latter is considered detrimental to efforts to harness community support for area-based approaches to fisheries management in Southeast Asia. The first step involved consideration of the applicability of the Marine Protected Area concept in addressing these barriers.

on 10-13 July 2007. The agreed species listings are contained in Annex 5 of the report of that meeting (UNEP, 2007c). Overall, the resource related goal is meant to enhance the resilience of regional fish stocks to the effects of fishing. The institutional goal is to integrate fisheries and habitat management at the national level, a task which is formidable given the past history of interactions between fisheries and environmental managers in most countries in the region. Consideration of these goals and objectives enable evaluation of whether or not areas subject to seasonal closures and fisheries management zones within multiple-use MPAs can be classified as fisheries *refugia* and form part of a regional *refugia* system.

**Table 1.** Goals and objectives for a regional system of fisheries *refugia*

<i>Resource-related goal</i> : increased resilience of regional fish stocks to the effects of fishing	<i>Institutional-related goal</i> : fisheries and habitat management conducted in an integrated manner
Longer-term objectives	Longer-term objectives
<ul> <li>Increased average size of important species.</li> <li>Increased egg production of important species</li> <li>Increased recruitment of important species</li> <li>Increased biomass of important fish species</li> </ul>	<ul> <li>Community-based management of fisheries <i>refugia</i> for integrated fisheries and habitat management</li> <li>National and regional level commitments for integrated fisheries and eccentration memory and the second second</li></ul>
	<ul><li>fisheries and ecosystem management</li><li>Appropriately represented fisheries agenda in broader multiple use marine planning initiatives.</li></ul>
Shorter-term objectives	Shorter-term objectives
<ul> <li>Safeguarding natural <i>refugia</i></li> <li>Reduced capture of juveniles and pre-recruits of important species in critical fisheries habitats</li> </ul>	<ul> <li>Community-based management of fisheries <i>refugia</i> for fisheries management</li> <li>Understanding among fishing communities of critical</li> </ul>
<ul><li>Reduced targeting and capture of important species when forming spawning aggregations</li><li>Reduced targeting and capture of migrating fish</li></ul>	<ul><li>habitats and fish life-cycle linkages</li><li>Enhanced capacity of fisheries departments/ministries to engage in meaningful dialogue with the environment sector</li></ul>

Building the capacity for identification, designation and management of fisheries *refugia* would involve:

• Defining and disseminating information on the fisheries refugia concept

The RWG-F identified two key assumptions regarding the potential success of the fisheries refugia concept in improving fisheries and habitat management in Southeast Asia. The first was that cross-sectoral co-ordination of between the fisheries activities and environment sectors in the participating countries would be successful. The second assumption was that small-scale fishing communities would support the initiative and interventions proposed as many fishing fisheries managers, and local families, government officials in the region equate areabased approaches to fisheries management (zoning) as the equivalent of no-take MPAs.

As noted above, the latter are often viewed as unacceptable at the community level because they are rarely designated in locations of importance to the life-cycle of fished species and neither improve fish stocks nor the community's income. The net result of such MPA establishment is largely viewed as a loss of fishing areas for small-scale fishers and non-compliance with fisheries management measures in the 'protected' areas as a result of minimal buy-in from communities. In order to promote mainstreaming of the concept within the fisheries and environment sectors and to enhance and sustain community participation in the initiative, the RWG-F disseminated information on the *refugia* concept through: regional national fisheries and and environmental forums; national expert. stakeholder, and community consultations; regional and national publication of a series of popular articles about the concept; and online syndication of information through the Fisheries Refugia Information Portal of the South China Sea Project website (http://refugia.unepscs.org).

• Identification of fisheries refugia: critical spawning and nursery areas


The Sixth Meeting of the RWG-F noted that most fish populations are vulnerable to the impacts of over-fishing in areas and at times where there are high abundances of (a) stock in spawning condition, (b) juveniles and prerecruits or (c) pre-recruits migrating to fishing grounds. The impact of over-fishing is intensified in instances where small-scale fishers and commercial fishers share the same stock, often leading to disputes regarding the relative impact of each group (UNEP, 2006a).

The RWG-F agreed that this situation is characteristic of the over-fishing problem in many marine fisheries in the South China Sea. Juveniles and pre-recruits are often caught in inshore areas by small-scale fishers while commercial fisherfolk catch adults of the same species offshore. In circumstances such as this, high levels of fishing effort in inshore waters may drive growth over-fishing, while the same circumstances in offshore areas may cause recruitment over-fishing of the same stock. Growth over-fishing is caused by levels of fishing beyond that required to maximise yield per recruit, and typical involves a size at first capture in the fishery that results in an unsustainably high percentage of juveniles and pre-recruits being captured (Pauly, 1984), while recruitment overfishing is caused by a level of fishing in which the adult stock is reduced to the extent that recruits produced are insufficient to maintain the population (Pauly, 1984). FAO (2007), for example, reported that 18-32 percent of low value 'trash' fish caught primarily by demersal trawling in the Gulf of Thailand are juveniles of commercially important species often targeted by other fisheries.

The RWG-F agreed that management of 'nursery refugia' to safeguard fish during the juvenile and pre-recruit phases of their lifecycle and the habitats utilised as nurseries can assist in the prevention of growth over-fishing. Similarly, management of 'spawning refugia' may assist in the prevention of recruitment overfishing (Annex 5 of UNEP, 2006a). In considering the work of the RWG-F, the Regional Scientific and Technical Committee (RSTC) of the UNEP/GEF South China Sea project discussed refugia approaches that have often been used as a when fisheries management tool more conventional techniques, such as effort or gear restrictions, have failed to achieve the desired management objectives, particularly in regions where fisheries are subject to intense and unmanageable fishing pressure, such as in the Gulf of Thailand. In other instances, fisheries refugia have been used to separate potentially conflicting uses of coastal waters and their limited resources.

The RSTC noted that the effectiveness of fisheries refugia will likely depend on an appropriate consideration of known critical spawning and nursery areas in the selection of sites. In this connection, the RSTC directed the RWG-F to: review known spawning areas for fish stocks of transboundary significance with the aim of evaluating these sites as candidate spawning refugia; and evaluate South China Sea habitat sites as potential juvenile/pre-recruit refugia for significant demersal species (UNEP, 2006c). This information was compiled and reviewed by the seventh meeting of the RWG-F and was subsequently considered during the eighth meeting of the RWG-F and used to list and characterize known fish spawning and nursery areas in the Gulf of Thailand and the

South China Sea (UNEP, 2007b). The RWG-F reviewed the list of sites in relation to: information on the distribution and abundance of fish eggs and larvae in the South China Sea during the post northeast monsoon periods from 1996 to 1999; and the outcomes of country consultations on the identification of fisheries refugia. The group subsequently agreed on 14 priority sites for inclusion in an initial system of fisheries *refugia* and an additional 9 sites for which additional information was required prior to their inclusion in the system. National maps of the agreed locations for refugia sites are included in Annex 6 of the eighth RWG-F meeting report (UNEP, 2007b). The locations of these sites are shown in Fig. 1.



# • Improving the scientific basis for the identification of fisheries refugia

As noted above, a constraining factor in the further development of a regional system of fisheries *refugia* is the scarcity of information relating to the early-life history of the majority of significant transboundary species in the South China Sea and Gulf of Thailand. This led, during 2006-2008, to the development of a collaborative program of technical consultations, working group meetings and training workshops with SEADFEC aimed at improving the scientific basis for the

identification of fisheries *refugia*. This involved a comprehensive review of past and ongoing fish early-life history research and the compilation of information on known spawning and nursery areas for important fish species in the Gulf of Thailand and South China Sea. It was noted that past research activities conducted in the 1970s and 1980s largely focused on the identification of spawning areas and migratory routes for short mackerel (*Rastrelliger* spp.), round scads (*Decapterus* spp.), anchovy, and neritic tuna. The RWG-F agreed that there may be some limitations in the research on identification of spawning refugia due to possible effects, during recent decades, of oil and gas industry development in the Gulf of Thailand on fish migratory routes (UNEP, 2007b). The RWG-F concluded that information and data collected through collaborative research activities initiated by SEAFDEC in the mid 1990s would provide a temporary relevant information base for identifying current spawning and nursery areas. These research activities involved cruises conducted using the M.V. SEAFDEC in the Gulf of Thailand and the East Coast of Peninsular Malaysia; the West Coast of Sabah, Sarawak, and Brunei Darussalam; the West Coast of Luzon, Philippines; and in Vietnamese Waters. Larval fish sampling was undertaken at 249 stations using bongo nets during the post-northeast monsoon (April-May) from 1996 to 1999. Results of these larval fish surveys were used to assist in developing a better understanding of spawning (sources) and nursery (sinks) locations for important species. Drawing on these data, the group worked with SEAFDEC scientists to map the distribution and abundance of the larvae of important demersal and pelagic fish species in the South China Sea.

• Building regional capacity for the operation of a regional system of fisheries refugia

A key constraint in the future development of the regional system of fisheries refugia is a shortage of information regarding fish lifecycles and critical habitat linkages in Southeast Asia. SEAFDEC has been working to fill this information gap by including larval and juvenile fish surveys as part of its regular fisheries research cruises. However, the region has faced difficulties in the processing of samples due to limited expertise in national fisheries departments. In this connection, a joint UNEP/GEF South China Sea Project and SEAFDEC "Regional Training Workshop on Larval Fish Identification and Fish Early Life History Science" was convened at the SEAFDEC Training Department from 16 to 31 May 2007. This was aimed at building regional capacity in the processing and identification of larval fish samples collected during regular SEAFDEC research cruises. This was followed by the "Advanced Regional Training Workshop on Larval Fish Identification" (25 May to 14 June 2008) which led to the formal establishment of a 'Network of Southeast Asian Larval Fish within framework Scientists' the of SEAFDEC. In addition to the larval fish

identification training initiative, the RWG-F also identified the need to build capacity of among middle to senior level fisheries managers for the establishment and management of fisheries *refugia* in the region. The A joint UNEP/GEF South China Sea Project and SEAFDEC 'Regional Training the Establishment Workshop on and Management of Fisheries Refugia' was therefore convened at the SEAFDEC Training Department from 28 October to 10 November 2007 with 25 young fisheries and environment professionals attending from SCS project countries. The participants in these training events subsequently conducted national 'echoseminars' on the fisheries refugia concept involving staff of national and provincial fisheries and environmental agencies.

Incorporation of targeted actions for a regional system of fisheries *refugia* in the revised strategic action programme for the South China Sea

• Strengthened enabling environment

The Regional Guidelines on the Use of Fisheries Refugia in Capture Fisheries Management was developed and endorsed inter-governmentally for inclusion in the ASEAN SEAFDEC Regional Guidelines for Responsible Fisheries in Southeast Asia. As a result, the *refugia* concept was then included in national fisheries policies and plans as a priority tool for improved fisheries habitat management, e.g. Fisheries Law of Cambodia; South China Sea Fisheries Management Zone Plan in Indonesia; Comprehensive National Fisheries Industry Development Plan in the Philippines; Thailand's Marine Fisheries Policy; and the National Plan for the Management of Aquatic Species and Habitats in Viet Nam. In this conenction, a program of targeted actions for operating a regional system of fisheries *refugia* was developed and included in the intergovernmental Strategic Action Programme for the South China Sea.

Development of a regional project to implement the fisheries component of the South China Sea Strategic Action Programme The 44<sup>th</sup> Meeting (June 2013) of the Global Environment Facility (GEF) Council endorsed the development of a full-sized GEF International Waters project on "Establishment and Operation of a Regional System of Fisheries Refugia in the South China Sea and Gulf of Thailand" to test the refugia approach. This project will be executed regionally by SEAFDEC in partnership with six participating countries.

## Discussion

*Experiences in the uptake of the fisheries* refugia *concept* 

• Use a concept relevant to stakeholders

The fisheries refugia concept has been well received at all levels and has been utilized in participating countries to build partnerships and to enhance communication between the fisheries and environment sectors. A relevant example is the experience of Viet Nam in the use of fisheries refugia as a tool for integrated fisheries and habitat management in Phu Quoc Archipelago. The extensive seagrass meadows adjacent to the Ham Ninh commune of Phu Quoc represent 8% of the total known area of seagrass in the South China Sea (UNEP, 2008b), supporting a variety of economically important species including swimming crab, cuttlefish. shrimp. rabbitfish. octopus. strombus snail, and seahorse. These species are harvested using a wide range of fishing gear and practices, including gill nets, demersal seines, pelagic purse seines, demersal trawl, push netting, traps, intertidal gleaning and raking, and hookah diving (UNEP, 2007d). The intensity of fishing operations in the nearshore waters of the site is such that a serious community concern was expressed regarding the degradation and loss of seagrass habitat as a result of fishing and consequent effects of longer-term availability of local fish resources critical for local income and food. The widespread use of active fishing gears such as demersal trawls and push nets, in seagrass areas of the site was noted as a key source of conflict among fisherfolk. As a strategy to improve communication between fisheries and environment managers and address this issue, the fisheries refugia concept was introduced to the Phu Quoc Management Board responsible for coral reef and seagrass management as a means of improving the management of fish stocks and habitat links at Ham Ninh (UNEP, 2007d). The fisheries refugia concept was well received by the Kien Giang Provincial Department of Science and Technology (DoST) and Department of Fisheries (DoF) as well as representatives of the Ham Ninh commune, as it aligned closely with local knowledge on fish migrations and availability, patterns of seasons of reproduction, and areas in which fish are caught. In several commune consultations, it was noted that the refugia concept and its focus on life cycle and habitat linkages was more relevant to local stakeholders than

scientific concepts such as representativeness, comprehensiveness, and uniqueness that community members had previously been introduced to in discussions on MPA planning.

• Emphasize on sustainable use rather than prohibition of fishing

Subsequent consultations undertaken with commune fisherfolk, fish traders, and women involved in inshore gleaning and processing at Ham Ninh revealed that, by emphasising the sustainable use aspects of *refugia* rather than the no-take approach adopted as part of conventional MPA systems, adverse reactions at the community level were avoided. This was a necessary prerequisite to any dialogue regarding improved fishing practices within the site. The acceptance of the approach enabled the development of a collaborative pilot activity by DoST, DoF, and the Phu Ouoc MPA Authority, Border Army, fisherfolk and fish traders of the Ham Ninh Commune to establish and manage a pilot fisheries *refugia* site at the Ham Ninh seagrass area. This pilot initiative was meant to improve the integration of fisheries and seagrass habitat management at Ham Ninh through the establishment and management of fisheries refugia, improve the longer-term security of fisheries yields, and reduce the rate of seagrass degradation and loss. Specific activities included the development of inventory of fisheries refugia sites for important fish species including seasonality of spawning and age/size of recruitment from nursery areas for key species; preparation of a fisheries profile for Ham Ninh commune; identification of specific fisheries and habitat management issues at the site; and cooperative management of the Ham Ninh *refugia* site by Kien Giang's Department of Fisheries and local MPA Authority. The fisheries refugia concept was also used successfully by the National Fisheries Research and Development Institute of the Philippine Bureau of Fisheries and Aquatic Resources to facilitate the resolution of a long-running conflict between the fisheries and environment sectors in the Visayan Sea. As a result of intensive inshore fishing pressure, environmental NGOs had lobbied for the prohibition of fishing that was not feasible, at least, in the short term, due to high levels of local community dependence on fishing.

Parties to the dispute subsequently reached an agreement to use the fisheries *refugia* approach in identifying critical areas of habitat to be regulated and managed rather than adopting total closure (UNEP, 2007b).

• Focus on fish life-cycle critical habitat linkages

In many Southeast Asian communities with traditions of local fisheries management, the rapid development of fisheries over the past 50 years has contributed to the erosion of these structures. Prior to the rapid uptake of demersal trawl fishing in the 1960s, fisheries were characterized by the use of mainly passive fishing gear to target small pelagic species supplying local markets (Pauly and Chuenpagdee, 2003). level Community management at that time included rules controlling the times and locations of fishing based on community knowledge of fish movements and reproduction (Ruddle, 1994).

In contrast, the imposition of closed areas and seasons by central governments over past decades has been largely focused on restricting the levels of overall trawl fishing effort. While this has recently been refined to restrict the use inshore of destructive push nets and trawl fishing in some areas, existing closed areas have rarely been designated from the perspective of the nature of habitats contained in such areas and the essential contribution of those habitats to fisheries (UNEP, 2007a). This emphasis on fish lifecycle and critical habitat linkages will likely assist regional efforts in developing comanagement in small-scale fisheries as it will allow for the design of community level rules that align more narrowly and explicitly to the needs of communities.

At the time of the Ham Ninh pilot activity development, information regarding the links between fish stocks and habitats at Phu Quoc was scarce. Little or no data on the distribution and abundance of fish eggs and larvae were available for the identification of spawning locations or important nursery locations for fish stocks. This problem was largely overcome by the high level of local commune fisherfolk involvement in all consultations and exercises to identify *refugia* sites. The level of acceptance by fisherfolk of the refugia concept was such that they ultimately led activities to identify specific spawning and nursery areas in consultation with local fisheries and environment department staff and border army officials (UNEP, 2008c). This provided a sufficiently high level of interaction among all sectors that management issues and solutions could often be discussed and agreed at sea aboard small-scale fishing vessels. Such dialogue was necessary to enable the degree of sharing of ideas and perspectives among stakeholders that was required to identify solutions to problems directly related to the primary source of food and income for the local community. Sientists from Viet Nam's Institute of Oceanography assisted in the interpretation of knowledge in local community and among fisherfolk. This enabled the identification of critical spawning and nursery areas using inputs from local fisherfolk that has led to a high level of community ownership of the resultant maps of fisheries refugia at Phu Quoc (UNEP, 2008c).

In the Philippines, the academe supported the efforts to model fish egg dispersal and larval settling in Coron Bay area of Palawan Island. Oceanographic information and fish egg and larvae data were used to identify spawning refugia (sources) and nursery refugia (sinks) for fish species of significance in that area of South China Sea coastline. the This information was used during local stakeholder consultations for the designation of *refugia* sites. In Thailand, the fisheries refugia concept's focus on fish life-cycle and critical habitat linkages has recently been used to manage demands from the fishing sector to reduce the area of Prachuap Khiri Khan-Chumpon seasonal closure for short mackerel (Rastrelliger brachysoma) in the western Gulf of Thailand by 3000 ha. The *refugia* concept is now seen as key tool in reducing the impact of intensive fishing on stocks of this species at times and in places when it is most vulnerable. Pilot activities focused on developing management at priority *refugia* sites have also been initiated with the support of fishing communities at Kampot in Cambodia and in Indonesia's West Kalimantan Province.

## Comparisons of MPAs and fisheries refugia

Empirical evidence of an overall increase in fishery benefits following the establishment of an MPA is still controversial as increased catches frequently do not compensate for the decreased area of fishing grounds. In addition, MPA models have shown that the effects on fisheries yield are highly dependent on a number of factors, e.g. dispersal in the larval, juvenile and adult stages, The fisheries refugia concept has been developed to redress this imbalance. Experience in its application suggests that the *refugia* approach may potentially bring greater long-run benefits to the fisheries and environmental sectors in achieving mutually acceptable outcomes. The pilot fisheries refugia activities described above focused on testing the approach as a tool for improving cooperation among fisheries and environment stakeholders. While experience indicates that the *refugia* concept has significant potential for overcoming barriers to integrated fisheries and habitat management, the concept has not been tested from the perspectives of the identified resource-related goals and objectives defined for the regional system of refugia. The need to establish and monitor the effectiveness of individual and networks of *refugia* sites was acknowledged by the RWG-F in the development of a detailed results framework for the refugia system, which forms a component of the revised South China Sea SAP (UNEP, 2008a). The planned national and regional actions for the refugia system aim to build on preliminary initiatives to establish baselines and to undertake both formal scientific and community-level monitoring of *refugia*.

A key perspective in the Southeast Asian region is that overexploitation in fisheries may be a sign of community failure. Community values, norms and knowledge are critically important in guiding sustainable fisheries practices and the erosion of arrangements past community for the management of fisheries, including traditional rules covering the times and locations for fishing, may have opened the door to the adoption of unsustainable practices. In light of the competing demands on fish to drive export earnings and to secure a sustainable supply of protein and income for coastal communities, significant effort has been made in recent years to decentralize the responsibility of fisheries management with the aim of establishing co-management approaches. Accordingly, the ASEAN/SEAFDEC regional guidelines for responsible fisheries call for

configuration of the reserve, and the status of the fishery. Traditional MPAs are unlikely to enhance fish stocks and catch in the South China Sea as these are directed towards achieving the wider objective of biodiversity conservation that often precludes adequate consideration of the life history and population dynamics of fishery species.

fisheries *refugia* to be used as a complementary tool to broader regional initiatives focusing on: co-management: illegal, unreported and unregulated fishing; alternative and supplementary livelihood creation in support of broader capacity reduction needs; data collection and statistics; and the promotion of responsible fishing gear and practices. With the designation and management of refugia being the responsibility of fisheries ministries and given the evident stakeholder support for the *refugia* conditions approach, the for effective coordination of these complementary initiatives are enhanced. This provides for refugia management to be equitable and to best respond broader drivers in regional fisheries to management, including capacity reduction needs.

The question arises as to whether or not MPAs qualify as fisheries *refugia* and vice versa? The simple answer in response to the traditional notake MPA is "no". However, parts of multipleuse IUCN category VI 'Sustainable use of natural MPAs, ecosystems' such as fisheries management zones, may qualify as fisheries refugia if such zones promote the concept of sustainable use rather than prohibition of fishing and the selection of the zone is based on criteria relating to the critical linkage between the area and the lifecycle of the species for which the area is managed. Similarly, while it is currently not possible to compare the direct resource-related benefits of no-take MPAs and refugia, an additional institutional related benefit of the refugia approach could potentially be the longerterm broadening of management objectives at individual refugia sites to accommodate nonfishery related conservation goals. The *refugia* approach provides a suitable platform for improved dialogue and the development of practical experience in the use of area-based management tools in integrating fisheries and habitat management that had not been previously achieved due to the emphasis on no-take MPAs by environment agencies in Southeast Asia.

#### Significance of the fisheries refugia approach

At project outset there was a widespread recognition among stakeholders of the need for coordinated action to address fisheries and habitat issues. This had not been previously addressed due to the lack of regionally-relevant management approaches that fostered the establishment of common ground and improved

#### Conclusions

The *refugia* concept appears to be a successful approach in addressing a significant barrier to the integration of fisheries and habitat management, namely the adverse reaction to the Marine Protected Area concept that elicited from fishing communities and fisheries officers at local and provincial levels during the past decade. The designation for management of *refugia* being the ASEAN-SEAFDEC ministries responsible for fisheries, and given the evident stakeholder support for the *refugia* approach as one of fisheries management tool, it is anticipated that the experiences gained from this novel approach

#### References

- Christensen, V. 1998. Fishery-induced changes in a marine ecosystem: insight from models of the Gulf of Thailand. Journal of Fisheries Biology 53 (Suppl. A): 128-142
- FAO. 2002. Report of the Reykjavik Conference on Responsible Fisheries in the Marine Reykjavik and Iceland 1e4, 2001 Ecosystem. Reykjavik, Iceland, 1-4 October 2001. FAO Fisheries Report No. 658. Rome, FAO. 128 p
- FAO. 2003.The Ecosystem Approach to Fisheries. No. 4, Suppl. 2. FAO Technical Guidelines for Responsible Fisheries, Rome. 112 p
- FAO. 2007.The State of World Fisheries and Aquaculture 2006. Food and Agriculture Organization of the United Nations, Rome. 180 p
- Gell, F.R., C.M. Roberts. 2003. Benefits beyond boundaries: the fishery effects of marine reserves. Trends in Ecology and Evolution 18 (9): 448-456
- Hilborn, R., Stokes, K., Maguire, J.J., Smith, T., Botsford, L.W., Mangel, M., Orensanz, J.,Parma, A., Rice, J., Bell, J., Cochranek, K.L., Garcia, S., Hall, S.J., Kirkwood, G.P., Sainsbury, K., Stefansson, G., Walters, C. 2004. When can marine reserves improve fisheries management? Ocean and Coastal Management 47: 197-205

dialogue between the fisheries and environmental sectors and between the community and government. The fisheries refugia concept has met this need via a focus on fish life cycle and critical habitat linkages and an emphasis on sustainable use rather than the prohibition of fishing.

to the use of spatial management tools in fisheries management will be suitable for scalingup in the South China Sea and replication in other aquatic habitats. This experience is considered important because of the potential global fisheries and biodiversity conservation benefits associated with effective fisheries and habitat management at the local level. This is particularly relevant in Southeast Asia where the contribution of fisheries to food security and the maintenance and improvement of the livelihoods of coastal fishing communities is so substantial.

- Lundgren, R., Staples, D.J., Funge-Smith, S.J., Clausen, J., 2006. Status and Potential of Fisheries and Aquaculture in Asia and the Pacific 2006.FAO Regional Office for Asia and the Pacific, RAP Publication 2006/22. 62 p
- Paterson, C., Try, I., Tambunan, P., Barut, N., Saikliang, P., Dao, M.S., Chullasorn, S. 2006. Establishing a regional system of fisheries refugia. Fish for the People 4 (1): 22-27
- http://dx.doi.org/10.1016/j.ocecoaman.2012.12.001
- Paterson, C.J., Pernetta, J.C., Siriraksophon, S., Kato, Y., Barut, N.C., Saikliang, P., Vibol, O., Chee, P.E., Nguyen, T.T.N., Perbowo, N., Yunanda, T., Armada, N.B. 2012. Fisheries refugia: a novel approach to integrating fisheries and habitat management in the context of small-scale fishing pressure. Ocean and Coastal Management, in press
- Pauly, D. 1997. Points of view: putting fisheries management back in places. Reviews in Fish Biology and Fisheries 7:125-127
- Pauly, D., Chuenpagdee, R., 2003. Development of fisheries in the Gulf of Thailand large marine ecosystem. In: Hempel, G., Sherman, K. (Eds.), Large Marine Ecosystems of the World. Elsevier, B.V; pp. 337-354

- Roberts, C.M., Hawkins, J.P., 2012. Establishment of Fish Stocks Recovery Areas. Directorate General for Internal Policies. Policy Department B. Structural and Cohesion Policies. Fisheries European Parliament, Note IP/B/PECH/2012- 53; pp 64
- Roberts, C.M., Polunin, N.V.C., 1993. Marine Reserves e simple solutions to managing fisheries.Ambio 22: 363-368
- UNEP. 2005. Reversing environmental degradation trends in the South China Sea and Gulf of Thailand. Report of the Fifth Meeting of the Regional Working Group on Fisheries. UNEP/GEF/SCS/RWG-F.5/3
- UNEP. 2006a. Reversing environmental degradation trends in the South China Sea and Gulf of Thailand. Report of the Sixth Meeting of the Regional Working Group on Fisheries. UNEP/GEF/SCS/RWG-F.6/3
- UNEP. 2006b. Reversing environmental degradation trends in the South China Sea and Gulf of Thailand. Report of the Seventh Meeting of the Regional Working Group on Fisheries. UNEP/GEF/SCS/RWG-F.7/3
- UNEP. 2006c. Reversing environmental degradation trends in the South China Sea and Gulf of Thailand. Report of the Sixth Meeting of the Regional Scientific and Technical Committee. UNEP/GEF/SCS/RSTC.6/3
- UNEP. 2007a.National Reports on the Fish Stocks and Habitats of Regional, Global and Transboundary Significance in the South China Sea.UNEP/GEF/SCS Technical Publication No. 15

- Ruddle, K.A. 1994.A Guide to the Literature on Traditional Community-based Fishery Management in the Asia-pacific Island Tropics. Fisheries Circular, FAO, Rome, Italy. No. 869. FIPP/C869
- SEAFDEC. 2006. Supplementary Guidelines on Co-management Using Group User Rights, Fisheries Statistics, Indicators, and Fisheries Refugia. Southeast Asian Fisheries Development Center, Bangkok, Thailand; 84 p
- UNEP. 2007b. Reversing environmental degradation trends in the South China Sea and Gulf of Thailand. Report of the Eighth Meeting of the Regional Working Group on Fisheries. UNEP/GEF/SCS/RWG-F.8/3
- UNEP. 2007c. Reversing environmental degradation trends in the South China Sea and Gulf of Thailand. Report of the Ninth Meeting of the Regional Working Group on Fisheries. UNEP/GEF/SCS/RWG-F.9/3
- UNEP. 2007d.Coral Reefs Demonstration Sites in the South China Sea. UNEP/GEF/ SCS Technical Publication No. 5
- UNEP. 2008a.Strategic Action Programme for the South China Sea. UNEP/GEF/SCS Technical Publication No. 16
- UNEP. 2008b.National Reports on Seagrass in the South China Sea. UNEP/GEF/SCS Technical Publication No. 12
- UNEP. 2008c. Fisheries Refugia as a Tool for Integrated Fisheries and Habitat Management at Phu Quoc Archipelago. South China Sea Lesson Learned Note No. 3, Viet Nam